

Anaphora & simplification

PATRICK D. ELLIOTT

DECEMBER 1, 2022

HEINRICH-HEINE UNIVERSITY DÜSSELDORF
ZAS SEMANTICS CIRCLE

<https://patrickdelliott.com/pdf/zas-fc-slides.pdf>

Collaborators

This talk is based on joint work with **Yasu Sudo** (UCL).



Situating the talk

This work is part of an over-arching project to develop an account of anaphoric accessibility based on an independently-motivated, explanatory theory of presupposition projection.

- My 2020 manuscript *Towards a principled logic of anaphora*.
<https://ling.auf.net/lingbuzz/005562>
- My 2022 proceedings paper *Disjunction in a predictive theory of anaphora*. <https://ling.auf.net/lingbuzz/006657>
- My 2022 manuscript *Partee conjunctions: projection and possibility*.
<https://ling.auf.net/lingbuzz/006857>
- A new manuscript with Yasu Sudo: *Free choice with anaphora* (see: this talk).

Introduction

- Background: anaphora in disjunctive sentences.
- The problem: simplification with anaphora — *free choice* as the main case study.
- Setting up the analysis: Bilateral Update Semantics (BUS) and Partee disjunctions.
- Integrating BUS with a presuppositional account of free choice.

Anaphora in disjunctive sentences

Partee disjunctions

Discourse anaphora is possible across disjuncts $\phi \vee \psi$ if ϕ contains an existential statement, and $\neg\phi$ contextually entails a witness to the existential (Barbara Partee).

- (1) Either there isn't a^x bathroom in this house,
or it_x's in a funny place. $\neg\exists_x B(x) \vee F(x)$

You might be skeptical that (1) is a *bona fide* case of discourse anaphora. Three relevant observations:

- Formal Link Condition.
- Uniqueness inference (or lack thereof).
- Existential truth-conditions.

Formal link condition

This is *bona fide* discourse anaphora — Partee disjunctions are subject to the *formal link condition*.

- (2) a. ?Ethan is married, and he'll bring him_x.
b. Ethan has a^x husband, and he'll bring him_x.
- (3) a. ? Either Ethan isn't married or he'll bring him_x.
b. Either Ethan *doesn't* have a^x husband or he'll bring him_x.

Contrast between (2a) and (2b) parallels contrast between (3a) and (3b).

Lack of Uniqueness

Like *bona fide* discourse anaphora, anaphora in Partee disjunctions doesn't give rise to an (obligatory) uniqueness inference — we can see this by adapting Heim's famous Sage plant sentence (Mandelkern & Rothschild 2020).

- (4) a. Sue bought a^x Sage plant,
and she bought 8 others along with it_x.
- b. Either Sue didn't buy a^x Sage plant,
or she bought 8 others along with it_x.

As Mandelkern & Rothschild emphasize, this is incompatible with E-type accounts of anaphora Partee disjunctions (i.e., **it**=[**the Sage plant**]; Heim 1990, Elbourne 2005). This will be important!

Existential truth-conditions

Like discourse/donkey anaphora, Partee conjunctions may receive weak, existential readings (cf. Krahmer & Muskens 1995).

(5) Context: *We're wondering if Gennaro is going to get rained on.*

Either he doesn't have an^x umbrella, or he'll use it_x (since it's raining so much).

(6) Context: *We're wondering how Gennaro paid for the meal*

Either he doesn't have a^x credit card with him, or he paid with it_x.

Schematic truth conditions: *Either he doesn't have an umbrella, or he has an umbrella that he'll use*

It seems to us that Partee disjunctions can sometimes have stronger, universal readings (Krahmer & Muskens 1995):

- (7) Every house in which [either there's no^x bathroom or it_x's upstairs] needs a downstairs bathroom installed.
⇒ *Every house in which every bathroom is upstairs needs a downstairs bathroom installed.*

We won't have an account of this, but this seems to parallel the famous ambiguity between \exists - and \forall - readings in donkey anaphora (Chierchia 1995, Kanazawa 1994) (ask me more in the question period!).

Theoretical status of Partee disjunctions

Classical dynamic theories of discourse anaphora (e.g., Heim 1982, Groenendijk & Stokhof 1991) are unable to account for Partee disjunctions due to their treatment of negation.

Without going into detail, the crux of the problem: *Ethan isn't married* and *Ethan doesn't have a husband* end up being contextually equivalent.

Several alternative frameworks have emerged which attempt to resolve this issue, although the details vary, and not all meet the desiderata outlined here; see especially Krahmer & Muskens 1995, Gotham 2019, Elliott 2020, 2022, Hofmann 2019, 2022, Mandelkern 2022.

Simplification with anaphora

Disjunction interacts with other logical operators in surprising ways — concretely, it gives rise to *simplification inferences* which prove problematic for classical semantics.

Three relevant cases:

- **Free choice** (Kamp 1973; our main case study).
- Distributive inferences (Crnič, Chemla & Fox 2015).
- Simplification of Disjunctive Antecedents (SDA) (Fine 1975, Nute 1975).

The problem of free choice

The problem of Free Choice (FC) — how to validate (8) (Kamp 1973).

(8) **FC:** $\diamond(\phi \vee \psi) \Rightarrow \diamond\phi \wedge \diamond\psi$

(9) You may have coffee or tea.

a. \Rightarrow *You may have coffee and you may have tea*

It's easy to see that a classical (e.g., Kratzerian) semantics for existential modals and disjunction doesn't validate FC; the existence of an accessible world at which $\phi \vee \psi$ is true doesn't guarantee the existence of an accessible world at which ϕ is true, and one at which ψ is true.

Accounts of FC can be split into two main camps:

- Exhaustification accounts — FC is an implicature (Kratzer & Shimoyama 2002, Alonso-Ovalle 2005, Fox 2007, Bar-Lev & Fox 2017, Bar-Lev 2018, del Pinal, Bassi & Sauerland 2022).
- Semantic accounts — FC is a semantic entailment (Zimmermann 2000, Aloni 2022, Simons 2005, Willer 2018, 2019b, Goldstein 2019, 2020).

Currently an open question which is the right approach to this phenomenon. Our talk is about a case that is immediately problematic for both camps, but which we think semantic accounts can more easily deal with.

What is relevant for our purposes is that all exhaustification accounts we're aware of involve computations relative to *simpler* 'domain' alternatives (Fox & Katzir 2011, Katzir 2008).

$$\phi, \psi \in \mathbf{ALT}(\phi \vee \psi)$$

Domain alternatives also play an important role in the literature on ignorance inferences (Sauerland 2004), and of course in exhaustification accounts of other simplification inferences.

The precise mechanics of the exhaustification account won't be crucial for our argument, but we'll briefly sketch Bar-Lev & Fox's (2020) *innocent inclusion* account.

Bar-Lev & Fox's *Exh* operates in two steps:

1. Exclusion step: negate as many alternatives as possible, in a way which doesn't lead to contradictions.
2. inclusion step: assert as many alternatives as possible, in a way which doesn't lead to contradictions.

Simple disjunctions and inclusion

$$\mathbf{Alt}(\phi \vee \psi) = \{ \underbrace{\phi \vee \psi}_{\text{prejacent}}, \underbrace{\phi \wedge \psi}_{\text{conj. alt}}, \underbrace{\phi, \psi}_{\text{domain alts}} \}$$

The *exclusion step* negates the conjunctive alternative; the domain alternatives can't be consistently negated:

$$\underbrace{\phi \vee \psi}_{\text{assertion}} \wedge \underbrace{\neg(\phi \vee \psi)}_{\text{implicature}}$$

The *inclusion step* can't consistently include the domain alternatives, since doing so would contradict the implicature.

Modalized disjunctions and inclusion

$$\mathbf{Alt}(\diamond(\phi \vee \psi)) = \{ \underbrace{\diamond(\phi \vee \psi)}_{\text{prejacent}}, \underbrace{\diamond(\phi \wedge \psi)}_{\text{conj. alt}}, \underbrace{\diamond\phi, \diamond\psi}_{\text{domain alts}} \}$$

The *exclusion step* again negates the conjunctive alternative; the domain alternatives can't be consistently negated.

$$\underbrace{\diamond(\phi \vee \psi)}_{\text{assertion}} \wedge \underbrace{\neg\diamond(\phi \wedge \psi)}_{\text{implicature}}$$

Crucially, including the domain alternatives *is* consistent with the implicature, giving rise to FC.

$$\underbrace{\diamond(\phi \vee \psi)}_{\text{assertion}} \wedge \underbrace{\neg\diamond(\phi \wedge \psi)}_{\text{implicature}} \wedge \underbrace{\diamond\phi \wedge \diamond\psi}_{\text{FC}}$$

Simplification in semantic accounts

Semantic accounts are clearly not wedded to simplification, unlike exhaustification accounts, although many nevertheless place conditions on individual disjuncts.

Later on, we'll show how a concrete semantic account of FC can be tweaked in order to avoid the problems that arise due to simplification.

The problem, abstractly

The problem of anaphora with free choice involves a Partee disjunction embedded under an existential modal.

$$(10) \quad \diamond(\neg\exists_x P(x) \vee Q(x))$$

As expected, sentences like (10) give rise to the FC inference (11a), corresponding to the first disjunct. Surprisingly however, they also give rise to the inference in (11b), whereas a simplification account is tailored to derive the classical FC inference (11c).

- (11) a. $\Rightarrow \diamond\neg\exists_x P(x)$
b. $\Rightarrow \diamond\exists_x(P(x) \wedge Q(x))$
c. $\not\Rightarrow \diamond Q(x)$

First, an example with a possibility modal:

- (12) It's possible that Tony doesn't have a^x stash,
or that he hid it_x.
- a. \Rightarrow *It's possible that Tony doesn't have a stash.*
 - b. \Rightarrow *It's possible that Tony has a stash and hid it.*

The problem extends to more classical cases involving deontic modals:

- (13) You're allowed to (either) write no^x squib, or submit it_x before the final class.
- a. \Rightarrow *You're allowed to write no squib.*
 - b. \Rightarrow *You're allowed to write a squib and submit it before the final class.*

Anaphora and simplification inferences more generally

Like FC, disjunction gives rise to other *simplification inferences* which prove to be problematic for classical semantics.

- Distributive inferences.
- Simplification of Disjunctive Antecedents (SDA).

These phenomena receive a completely parallel account to FC inferences, in terms of exhaustification (Bar-Lev & Fox 2020).

The presence of an anaphoric dependency in the disjunction gives rise to a problem completely parallel to the one we observe with FC.

Distributive inferences are intuitively valid, when a disjunction is in the scope of a universal quantifier:

(14) **Distributive inference:**

$$\forall x(\phi \vee \psi) \models \exists x\phi \wedge \exists x\psi$$

(15) Every student either didn't submit a squib, or submitted it before the last day of class.

a. \Rightarrow *Some student didn't submit a squib*

b. \Rightarrow *Some student submitted a squib before the last day of class*

SDA is intuitively valid in natural language, and is not predicted by classical semantics for disjunction and conditionals (Fine 1975).

(16) **Simplification of Disjunctive Antecedents (SDA):**

$$(\phi \vee \psi) > \rho \vDash (\phi > \rho) \wedge (\psi > \rho)$$

(17) If either there's no bathroom or it's upstairs, this house needs to be renovated.

a. \Rightarrow *if there's no bathroom, this house needs to be renovated.*

b. \Rightarrow *If there's a bathroom upstairs, this house needs to be renovated*

Sharpening the problem for simplification

One way of understanding what goes wrong — once we have a discourse-anaphoric dependency between the two disjuncts, the latter disjunct is no longer a **truthmaker** of the disjunctive sentence.

Accounts based on simplification implicitly rely on the domain alternatives of disjunction each being truthmakers of the disjunctive sentence.

An E-type resolution?

An E-type approach to anaphora would potentially help get the right descriptive content in the latter disjunct (with local accommodation), i.e.:

- (18) You're allowed to write no squib,
or submit it[=**the squib**] before the final class.

As we already showed in our discussion of donkey anaphora, an E-type approach isn't tenable for Partee disjunctions in the first place.

Local accommodation?

Another way out would be to say that the *anaphoric* presupposition of the free pronoun is somehow locally accommodated.

but: anaphoric presuppositions *can't* easily be locally accommodated, cf. Barbara Partee's famous marble example.

- (19) a. 1^x out of these 10 marbles is still missing.
It_x's under the couch.
- b. I've found 9 out these 10 marbles.
It_x's under the couch.

More alternatives?

Consider a schematic (modalized) Partee disjunction.

$$(20) \quad \diamond(\neg\exists_x\phi \vee \psi)$$

Assuming Fox & Katzir's (2011) simplification algorithm, there is a potential way of deriving an alternative which can help: (i) replace disjunction with conjunction, (ii) substitute $\neg\exists_x\phi$ with $\exists_x\phi$:

$$(21) \quad \diamond(\exists_x\phi \wedge \psi)$$

Allowing this kind of simplification however creates symmetry in the case of indirect implicatures (Romoli 2013, Trinh & Haida 2015), and so should be independently ruled out.

Meyer (2016) argues that disjunctions may contain a covert *else*, which can act as a representational encoding of the local context of the latter disjunct.

(22) [We should leave soon]^α, or (else_α) we'll be late.

Although this could help exhaustification accounts of FC with anaphora, there are reasons for skepticism. As noted by Meyer herself, covert *else* over-generates readings:

(23) If [the light is red]^α, stop, or ??(else_α) go straight on.

Additionally, covert *else* reifies what a theory of local contexts should in any case deliver.

Lastly, an account based on covert *else* won't extend to negative FC with anaphora.

Towards an analysis of FC with anaphora

Partee disjunctions — a crucial aspect of the puzzle — are already problematic for many existing theories of discourse anaphora (with some notable exceptions, such as Hofmann 2019, 2022, Mandelkern 2022).

We adopt Elliott's (2020, 2022) *Strong Kleene* account of Partee disjunctions, which has the virtue of drawing a tight connection between presupposition projection and anaphora in disjunctive sentences.

As a proof of concept, we integrate Goldstein's (2019) presuppositional account of FC with Elliott's account of Partee disjunctions. Since both exploit *update semantics*, this turns out to be relatively straightforward.

Bilateral Update Semantics

Double Negation Elimination

Our initial goal will be to set up a simple account of Partee disjunctions by setting up an update semantics which validates *Double Negation Elimination*.

$$(24) \quad \neg\neg\phi \iff \phi$$

This will be necessary in order to account for how the *negation* of a negative statement can introduce a discourse referent. There is independent evidence that this is necessary (see especially Gotham 2019 for discussion).

(25) There's no way that Matt doesn't own a^x smart shirt.
It_x's in his closet!

Bilateral Update Semantics

We'll accomplish this by developing a *Bilateral Update Semantics* (*BUS*) (see also Willer 2018, 2019b,a). Unlike in a classical Heimian system, each sentence ϕ is associated with two updates:

- $s[\phi]^+$: the positive update on s .
- $s[\phi]^-$: the negative update on s .

Updates are Heimian — i.e., functions from Heimian information states (sets of world-assignment pairs) back to Heimian information states.

N.b., the positive update sometimes (but certainly not always) corresponds to the effect of asserting ϕ relative to a Heimian file context. Unlike in classical update semantics, we'll need a concrete bridge principle...

Atomic sentences

$$(26) \quad s[\text{it}_x \text{ is upstairs}]^+ := \{ (w, g) \in s \mid g_x \text{ is upstairs}_w \}$$

$$(27) \quad s[\text{it}_x \text{ is upstairs}]^- := \{ (w, g) \in s \mid g_x \text{ isn't upstairs}_w \}$$

Atomic sentences are associated with a positive/negative update which picks out the possibilities in s at which the sentence is true/false respectively.


We assume that assignments are partial, which means that $s[\phi]^{+,-}$ doesn't always partition s .

In order to capture Heimian familiarity, we assume (tentatively) that $c[\phi]^{+,-}$ must partition c in order for ϕ to be assertable at c (i.e., *Stalnaker's bridge*; von Stechow 2008).

Illustrating atomic sentences

Figure 1: Dynamics of simple sentences.

Subscripts on worlds exhaustively indicate which individuals are P



The positive update of an existential statement introduces a discourse referent, just like in ordinary update semantics.


$$(28) \quad s[\text{there is a}^x \text{ bathroom}]^+ := \\ \{ (w, h) \mid (w, g) \in s, g[x]h \wedge h_x \text{ bathroom}_w \}$$

Crucially, the negative update of an existential statement simply picks out possibilities in s at which there is no bathroom, without introducing any anaphoric information.

$$(29) \quad s[\text{there is a}^x \text{ bathroom}]^- := \\ \{ (w, g) \in s \mid \text{there is no bathroom in } w \}$$

Illustrating existential statements

Figure 2: Dynamics of existential statements. Subscripts on worlds exhaustively indicate the individuals that are P .



Note that since existential statements can introduce anaphoric information, updates no longer necessarily partition the input state, even if the sentence is bivalent.

We can tweak the bridge principle using Groenendijk, Stokhof & Veltman's (1996) notion of *subsistence* ($<$) to fix this (ask me about this if you're interested).

$$s[\phi] := s[\phi]^+ \text{ if } s < s[\phi]^+ \cup s[\phi]^- \text{ else } \emptyset$$

Validating DNE

In order to validate DNE, we can simply adopt the following “flip-flop” entry for negation (common in a bilateral setting).

$$(30) \quad s[\text{not } \phi]^+ := s[\phi]^-$$

$$(31) \quad s[\text{not } \phi]^- := s[\phi]^+$$

It's obvious that this entry validates DNE, since $s[\neg\neg\phi]^+ = s[\neg\phi]^- = s[\phi]^+$, and $s[\neg\neg\phi]^- = s[\neg\phi]^+ = s[\phi]^-$.

This means that, e.g., $s[\text{there's no}^x \text{ bathroom}]^-$ will introduce a bathroom discourse referent. This will be crucial for our account of Partee disjunctions.

Disjunction in BUS

In BUS, we cash out the Strong Kleene truth table as a recipe for constructing positive/negative updates of complex expressions (this technique was innovated by Elliott 2020).

$\phi \vee \psi$	ψ_+	ψ_-	$\psi_?$
ϕ_+	+	+	+
ϕ_-	+	-	?
$\phi_?$	+	?	?

Figure 3: Strong Kleene disjunction

Each +, - cell is interpreted as an instruction to perform a successive update. In order to get the result of the positive update of $s[\phi \vee \psi]^+$, we take the union of all of the successive updates represented by the + cells.

The 'unknown' update

In order to make sense of the ? cells — which correspond to the 'unknown' truth-value in Strong Kleene trivalent logic — we must define a derivative notion — the 'unknown' update.

$$(32) \quad s[\phi]^? = \{i \in s \mid i \not\prec s[\phi]^{+,-}\}$$

In the simplest case, the unknown update picks out the parts of s which are neither in the positive, nor the negative update. To illustrate its utility, consider the unknown update of an open sentence:

$$(33) \quad s[it_x \text{'s upstairs}]^? := \{(w, g) \in s \mid g_x \text{ is undefined}\}$$

(N.b. we can think of our bridge principle as a requirement that $c[\phi]^?$ is empty.)

An aside on explanatoriness

The Strong-Kleene truth-tables can be derived from basic principles of reasoning in the presence of uncertainty (they “come for free”).

Connectives (and logical constants more generally) in BUS can be systematically derived from their Strong Kleene counterparts by a fixed recipe — no stipulations need to be made about how particular connectives manipulate anaphoric information.

BUS therefore meets Schlenker’s (2008, 2009) “explanatory challenge” for dynamic semantics — widely appreciated for presupposition projection, but less so for anaphora.

Partee disjunctions — the negative case

Let's take a simple Partee disjunction, and start with computing the negative update.

(34) Either there's no^x bathroom, or it_x's upstairs.

$$(35) \quad s[\neg\exists_x B(x) \vee U(x)]^- = s[\neg\exists_x B(x)]^- [U(x)]^- \\ = s[\exists_x B(x)]^+ [U(x)]^-$$

$$(36) \quad = \left\{ (w, h) \mid \begin{array}{l} (w, g) \in s, g[x]h \\ \wedge h_x \text{ is a non-upstairs bathroom in } w \end{array} \right\}$$

N.b. that in BUS, de Morgan's equivalences go through — $\neg(\phi \vee \psi) \iff \neg\phi \wedge \neg\psi$, so “it's not the case that there is no bathroom or it's upstairs” is equivalent to “There's a bathroom and it's not upstairs” (by DNE).

Partee disjunctions — the positive case

The positive update is somewhat more involved. By the Strong Kleene truth-table, we must compute the following:

$$(37) \quad s[\phi \vee \psi]^+ := s[\phi]^+[\psi]^+ \cup s[\phi]^+[\psi]^- \cup s[\phi]^+[\psi]^? \\ \cup s[\phi]^-[\psi]^+ \cup s[\phi]^?[\psi]^+$$

Roughly, the first line corresponds to dynamically verifying the disjunction by the truth of the first disjunct, and the second line corresponds to dynamically verifying the disjunction by the truth of the second disjunct.

We'll go through these cases one by one for our bathroom sentence.

There is no bathroom

Let's assume that the first disjunct is true — since the second disjunct introduces no anaphoric information, its contribution is trivial:

$$(38) \quad s[\text{there is no bathroom}]^+ [\text{it's upstairs}]^{+,-,?} = \\ s[\text{there is no bathroom}]^+$$

(if ϕ is atomic, then $s[\phi]^{+,-,?} = s$)

There's a bathroom upstairs

What if the first disjunct is *false* — by DNE, that means it will introduce a DR, and the truth of the disjunction is dependent on the second disjunct being *true*.

$$(39) \quad s[\text{there is no bathroom}]^- [\text{it's upstairs}]^+ = \\ s[\text{there's a bathroom}]^+ [\text{it's upstairs}]^+$$

The $s[\phi]^?[\psi]^+$ case is irrelevant, since the first disjunct (an existential statement) is bivalent.

Summary

We've computed the positive update of a Partee disjunction:

$$\begin{aligned}(40) \quad & s[\text{there's no}^x \text{ bathroom or it}_x \text{'s upstairs}]^+ \\ &= s[\text{there's a}^x \text{ bathroom}]^- \\ &\quad \cup s[\text{there's a}^x \text{ bathroom}]^+ [\text{it}_x \text{'s upstairs}]^+ \\ &= \{(w, g) \in s \mid \text{there's no bathroom in } w\} \\ &\quad \cup \{(w, h) \mid (w, g) \in s, g[x]h, h_x \text{ an upstairs bathroom}\}\end{aligned}$$

Possibilities where no bathrooms exist are retained, and bathroom-upstairs possibilities are associated with a bathroom discourse referent.

Remember that the negative update associates bathroom-not-upstairs possibilities with a bathroom discourse referent. This covers all scenarios — $s[.]^?$ is empty!

Logical Properties of BUS

We've already mentioned that de Morgan's equivalences hold in BUS. By virtue of this and DNE, the following all end up being equivalent:

- (41) Either there's no^x bathroom, or it_x's upstairs.
- (42) It's not the case that there's (both) a^x bathroom and it_x's not upstairs.
- (43) If there's a^x bathroom, then it_x's upstairs.

Partee disjunctions have *existential* truth-conditions — our bathroom sentence is true if there is an upstairs bathroom, even if another bathroom is not upstairs (here we depart from, e.g., Krahmer & Muskens 1995, Gotham 2019).

Evidence for existential truth-conditions

Like donkey sentences, Partee disjunctions can have existential readings.

(44) Either Gennaro doesn't have a^x credit card, or he paid with it_x.

Existential readings are also attested in negative contexts — surprisingly, we don't generate this reading, but rather something weaker, due to de Morgan's theorem(!).

(45) Neither is there no^x bathroom in this house, nor is it_x in a surprising place.
⇒ *there's a bathroom but no bathroom is in a surprising place*

Clearly, a general strengthening mechanism is called for. We leave this to future work (ask me about this).

Accounting for FR with anaphora

Now that we have a concrete account of discourse-anaphoric dependencies in disjunctive sentences, we're one step closer to accounting for FR with anaphora.

Since we've already developed an update semantics in order to account for Partee disjunctions, an account of FR which exploits update semantics is a natural fit — enter Goldstein's (2019) account.

The key idea behind Goldstein's semantic account of FR is that a disjunctive sentence semantically entails that each disjunct is possible.

(46) **Modal disjunction:** $\phi \vee \psi \Rightarrow \Diamond\phi \wedge \Diamond\psi$

Goldstein sketches an implementation of this idea in a simple update-semantic setting, following e.g., Veltman 1996. Here we simply adapt Goldstein's account to BUS, with an important adjustment.

In update semantics, it is standard to treat epistemic modals as *consistency tests* on information states.

This idea can be translated straightforwardly into BUS as follows:

$$(47) \quad s[\diamond\phi]^+ = s \text{ if } s[\phi]^+ \neq \emptyset \text{ else } \emptyset$$

$$(48) \quad s[\diamond\phi]^- = s \text{ if } s < s[\phi]^- \text{ else } \emptyset$$

(N.b. in order to state the negative update of “might ϕ ” we make use of the notion of *subsistence* from Groenendijk, Stokhof & Veltman 1996)

Modal disjunction

The final step will be to modify our semantics for disjunction — we'll simply state a new entry $\bar{\vee}$ in terms of our existing semantics for \vee .

$$(49) \quad s[\phi \bar{\vee} \psi]^+ := s[\phi \vee \psi]^+ \\ \text{if } s[\phi]^+[\psi]^{+,-,?} \neq \emptyset \text{ and } s[\phi]^{-,?}[\psi]^+ \neq \emptyset \\ \text{else } \emptyset$$

$$(50) \quad s[\phi \bar{\vee} \psi]^- := s[\phi \vee \psi]^-$$

The intuition here is that $\phi \vee \psi$ can only be true if *both ways of dynamically verifying the disjunction* are contextually consistent; the negative update remains the same as before.

Let's see how this derives FR with anaphora in a concrete case.

The inferences we want to derive:

$$\begin{aligned}(51) \quad & \diamond(\neg\exists_x B(x) \vee U(x)) \\ & \Rightarrow \diamond\neg\exists_x B(x) \\ & \Rightarrow \diamond(\exists_x B(x) \wedge U(x))\end{aligned}$$

Illustration ii

Let's consider what constraints the disjunctive sentence places on the input state s (in order to be true):

$$(52) \quad \{(w, g) \in s \mid \text{no bathroom in } w\} \neq \emptyset$$

$$(53) \quad \left\{ (w, h) \mid \begin{array}{l} (w, g) \in s, g[x]h, \\ h_x \text{ an upstairs bathroom in } w \end{array} \right\} \neq \emptyset$$

So for the bathroom disjunction to be true, there should be at least one *no bathroom* possibility, and at least one *bathroom upstairs* possibility.

Illustration iii

Now, the epistemic modal \diamond demands that there are some possibilities in s at which the bathroom disjunction is true. Since the bathroom disjunction itself places a contingency requirement on the input state, this will only hold if:

- The *no bathroom* possibilities in s are non-empty.
- The *bathroom upstairs* possibilities in s are non-empty

This guarantees that, whenever s is consistent with $\neg\exists_x B(x) \vee U(x)$, s is consistent with both $\neg\exists_x B(x)$ and $\exists_x B(x) \wedge U(x)$. FR with anaphora is thereby derived as a semantic entailment.

The approach to FC with anaphora developed here can be easily extended to negative FC with anaphora by adopting a *negative modal conjunction*.

Extensions to SDA and distributive inferences are a WiP, but we believe that our version Goldstein's presuppositional account extends to both.

Conclusion

Crucial ingredients:

- A dynamic account of Partee disjunctions which can deliver existential truth conditions — we went with BUS, since it easily integrates with a presuppositional account of FC, but other potentially good candidates: Mandelkern 2022, Hofmann 2019, 2022.
- An account of FR which treats it as a semantic entailment — we went with Goldstein's (2019) implementation of modal disjunction as a proof of concept. Another good candidate is a dynamicization of Aloni's (2022) account.

- Generalization to non-epistemic modals — see Goldstein 2019 for details on how to generalize the account of FR we assume to non-epistemics.
- Is there a way to reconcile the exhaustification account and FR with anaphora? We leave this as an open challenge.




Fin

Acknowledgements





We're grateful to audiences at Sinn und Bedeutung 27, Prague, and the Meaning in Language Colloquium, Düsseldorf.

We'd especially like to thank Jacopo Romoli, Uli Sauerland, and Benjamin Spector for detailed feedback.






References i





-  Aloni, Maria. 2022. **Logic and conversation: the case of free choice.** Unpublished manuscript. ILLC & Philosophy, University of Amsterdam.
-  Alonso-Ovalle, Luis. 2005. **Distributing the disjuncts over the modal space.** In Leah Bateman & Cherlon Ussery (eds.), *NELS 35: proceedings of the thirty-fifth annual meeting of the north east linguistic society.* Department of Linguistics UMass.
-  Bar-Lev, Moshe E. 2018. *Free choice, homogeneity, and innocent inclusion.* The Hebrew University of Jerusalem dissertation.




References ii





-  Bar-Lev, Moshe E. & Danny Fox. 2017. Universal free choice and innocent inclusion. In *Proceedings of SALT 27*.
-  Bar-Lev, Moshe E. & Danny Fox. 2020. Free choice, simplification, and Innocent Inclusion. *Natural Language Semantics* 28(3). 175–223.
-  Chierchia, Gennaro. 1995. *Dynamics of meaning - anaphora, presupposition, and the theory of grammar*. Chicago: University of Chicago Press. 270 pp.
-  Crnič, Luka, Emmanuel Chemla & Danny Fox. 2015. Scalar implicatures of embedded disjunction. *Natural Language Semantics* 23(4). 271–305.





References iii

-  del Pinal, Guillermo, Itai Bassi & Uli Sauerland. 2022. Free choice and presuppositional exhaustification. Unpublished manuscript.
-  Elbourne, Paul. 2005. *Situations and individuals*. Massachusetts Institute of Technology dissertation.
-  Elliott, Patrick D. 2020. Towards a principled logic of anaphora. lingbuzz/005562. Unpublished manuscript (2020). MIT. Submitted to Semantics & Pragmatics.
-  Elliott, Patrick D. 2022. Partee conjunctions: projection and possibility. Unpublished draft. Cambridge, MA.
-  Fine, Kit. 1975. Review of Counterfactuals by D. Lewis. *Mind* 84(335). 451–458.






-  Fox, Danny. 2007. Free choice and the theory of scalar implicatures. In Uli Sauerland & Penka Stateva (eds.), *Presupposition and implicature in compositional semantics*, 71–120. London: Palgrave Macmillan UK.
-  Fox, Danny & Roni Katzir. 2011. On the characterization of alternatives. *Natural Language Semantics* 19(1). 87–107.
-  Goldstein, Simon. 2019. Free choice and homogeneity. *Semantics and Pragmatics* 12(0). 23.
-  Goldstein, Simon. 2020. Free Choice Impossibility Results. *Journal of Philosophical Logic* 49(2). 249–282.

-  Gotham, Matthew. 2019. Double negation, excluded middle and accessibility in dynamic semantics. In Julian J. Schlöder, Dean McHugh & Floris Roelofsen (eds.), *Proceedings of the 22nd Amsterdam Colloquium*, 142–151.
-  Groenendijk, Jeroen & Martin Stokhof. 1991. Dynamic predicate logic. *Linguistics and Philosophy* 14(1). 39–100.
-  Groenendijk, Jeroen a. G., Martin J. B. Stokhof & Frank J. M. M. Veltman. 1996. Coreference and modality. In *The handbook of contemporary semantic theory* (Blackwell Handbooks in Linguistics), 176–216. Oxford: Blackwell.






-  Heim, Irene. 1982. *The semantics of definite and indefinite noun phrases*. University of Massachusetts - Amherst dissertation.
-  Heim, Irene. 1990. E-Type pronouns and donkey anaphora. *Linguistics and Philosophy* 13(2). 137–177.
-  Hofmann, Lisa. 2019. The anaphoric potential of indefinites under negation and disjunction. In Julian J. Schlöder, Dean McHugh & Floris Roelofsen (eds.), *Proceedings of the 22nd Amsterdam Colloquium*, 181–190.
-  Hofmann, Lisa. 2022. *Anaphora and negation*. University of California Santa Cruz dissertation.





-  Kamp, Hans. 1973. Free Choice Permission. *Proceedings of the Aristotelian Society* 74. 57–74.
-  Kanazawa, Makoto. 1994. Weak vs. Strong Readings of Donkey Sentences and Monotonicity Inference in a Dynamic Setting. *Linguistics and Philosophy* 17(2). 109–158.
-  Katzir, Roni. 2008. Structurally-defined alternatives. 30(6). 669–690.
-  Krahmer, Emiel & Reinhard Muskens. 1995. Negation and Disjunction in Discourse Representation Theory. *Journal of Semantics* 12(4). 357–376.




References viii

-  Kratzer, Angelika & Junko Shimoyama. 2002. Indeterminate Pronouns: The View from Japanese. 1–25.
-  Mandelkern, Matthew. 2022. Witnesses. *Linguistics and Philosophy*.
-  Mandelkern, Matthew & Daniel Rothschild. 2020. Definiteness projection. *Natural Language Semantics* 28(2). 77–109.
-  Meyer, Marie-Christine. 2016. Generalized Free Choice and Missing Alternatives. *Journal of Semantics* 33(4). 703–754.
-  Nute, Donald. 1975. Counterfactuals and the Similarity of Words. *The Journal of Philosophy* 72(21). 773–778.

References ix

-  Romoli, Jacopo. 2013. A problem for the structural characterization of alternatives. *Snippets* (27). 14–15.
-  Sauerland, Uli. 2004. Scalar implicatures in complex sentences. *Linguistics and Philosophy* 27(3). 367–391.
-  Schlenker, Philippe. 2008. Be Articulate: A pragmatic theory of presupposition projection. *Theoretical Linguistics* 34(3).
-  Schlenker, Philippe. 2009. Local contexts. *Semantics and Pragmatics* 2.
-  Simons, Mandy. 2005. Dividing things up: the semantics of or and the modal/or interaction. *Natural Language Semantics* 13(3). 271–316.

-  Trinh, Tue & Andreas Haida. 2015. Constraining the derivation of alternatives. *Natural Language Semantics* 23(4). 249–270.
-  Veltman, Frank. 1996. Defaults in Update Semantics. *Journal of Philosophical Logic* 25(3). 221–261.
-  von Fintel, Kai. 2008. What Is Presupposition Accommodation, Again?*. *Philosophical Perspectives* 22(1). 137–170.
-  Willer, Malte. 2018. Simplifying with Free Choice. *Topoi* 37(3). 379–392.

-  Willer, Malte. 2019a. **Negating conditionals in bilateral semantics.** In Julian J. Schlöder, Dean McHugh & Floris Roelofsen (eds.), *Proceedings of the 22nd Amsterdam Colloquium*, 181–190.
-  Willer, Malte. 2019b. **Widening free choice.** In *Proceedings of the 22nd Amsterdam Colloquium*, 407–416.
-  Zimmermann, Thomas Ede. 2000. **Free Choice Disjunction and Epistemic Possibility.** *Natural Language Semantics* 8(4). 255–290.